

Stech

Work Order ID 134767

134767

Page 1

Item ID: D412-760-113

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 7/24/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: AS Date: 15-7-20

Tooling:

Date:

Run Start *NR1*

QC: Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
IIN D412-760	G

100	Document Control	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy blue file & type labels per PPP D412-760-113								
	CHG002								

DAS
27
9-89

DAS
38
9-89

15-07-27

110	Pick Kit	0.00							
-----	----------	------	--	--	--	--	--	--	--

110									
Packaging	Memo	0.00							
Packaging									

DAS
02
9-89
JUL 21 2015

120	QC4- 100% Inspect kits for completeness	0.00							
-----	---	------	--	--	--	--	--	--	--

120									
QC	Memo	0.00							
Quality Control									

DAS
38
9-89

15-07-27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
								Lead hand / Supervisor Approval Verification																	
								QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____																							
Misidentified ☐	Past Due ☐																								

Work Order ID 134767***134767***

Page 2

July 20, 2015 1:55:59 PM

Item ID: D412-760-113

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 7/24/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							DAS
130									02
Packaging	Memo	0.00							9-89
Packaging	Identify and pack for shipping as per PPP D412-760-113 Location:FG040								JJJ 27 2015
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

15/7/28 *[Signature]*
Su 20150728

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Picklist Print

July 20, 2015 1:56:25 PM

Page 1

Work Order ID: 134767

134767

Parent Item: D412-760-113

D412-760-113

Parent Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015

Required Date: 7/24/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 11.04.19 per ecn10-646 DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3933-1 Aft Wall Protector	D3933-1 38 9-89	Manufactured	No			110	Each	1.0000	1	1		DAS 27 9-89	DAS 02 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST500				1					
				133056				1					
D3933-2 Aft Wall Protector, RH	D3933-2 38 9-89	Manufactured	No			110	Each	0.0000	1	1		DAS 27 9-89	DAS 02 9-89
D3935-3 Pylon Wall	D3935-3 38 9-89	Manufactured	No			110	Each	1.0000	1	1		DAS 27 9-89	DAS 02 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				PKG				1					
				120435				1					
D3935-4 Pylon Wall	D3935-4 38 9-89	Manufactured	No			110	Each	2.0000	1	1		DAS 27 9-89	DAS 02 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				PKG				2					
				120130				2					

B134769

JUL 24 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

Picklist Print

July 20, 2015 1:56:25 PM

Page 2

Work Order ID: 134767

134767

Parent Item: D412-760-113

D412-760-113

Parent Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015

Required Date: 7/24/2015

Start Qty: 1.00

Required Qty: 1.00

D3942-1 Manufactured No

110 Each 16.0000 ~~14~~ 14

D3942-1

Angle **DAS**
38
9-89

DAS
27
9-89 **DAS**
02
9-89

Location	Loc Qty	Loc Code
ST068	16	
127009	6	
131076	10	

D3942-3 Manufactured No

110 Each 16.0000 ~~10~~ 10

D3942-3

Clip **DAS**
38
9-89

DAS
27
9-89 **DAS**
02
9-89

Location	Loc Qty	Loc Code
ST068	16	
128366	6	
130844	10	

MS27039-4-10 Purchased No

110 Each 92.0000 ~~4~~ 4

MS27039-4-10

Screw **DAS**
38
9-89

DAS
27
9-89 **DAS**
02
9-89

Location	Loc Qty	Loc Code
ST283	92	
m131885	92	

MS27039-4-14 Purchased No

110 Each 82.0000 ~~6~~ 6

MS27039-4-14

SCREW **DAS**
38
9-89

DAS
27
9-89 **DAS**
02
9-89
JUL 23 2015

Location	Loc Qty	Loc Code
CA	13	
m129682	13	
ST283	69	
m131197	69	

July 20, 2015 1:56:25 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐													
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval										
Description Work Order Deviation				Disposition				Completed By									
								Lead hand / Supervisor Approval Verification									
								QC / QA Coordinator Approval									
Root Cause		FAULT CATEGORY															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :									
Misidentified ☐	Past Due ☐																

Picklist Print

July 20, 2015 1:56:25 PM

Page 3

Work Order ID: 134767

134767

Parent Item: D412-760-113

D412-760-113

Parent Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015

Required Date: 7/24/2015

Start Qty: 1.00

Required Qty: 1.00

MS27039-5-08

Purchased

No

110

Each

44.0000

6 6

MS27039-5-08

DAS
38
9-89

Screw

**

DAS
27
9-89
DAS
02
9-89

Location

Loc Qty

Loc Code

ST282

44

m131896

44

6

MS27039-5-12

Purchased

No

110

Each

53.0000

8 8

MS27039-5-12

DAS
38
9-89

Screw

**

DAS
27
9-89
JUL 21 2015
DAS
02
9-89

Location

Loc Qty

Loc Code

ST282

53

m131049

3

m131886

50

W

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Steck

Work Order ID 134767

134767

Page 1

July 20, 2015 1:55:59 PM

Item ID: D412-760-113 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Aft Cabin Wall & Pylon Protector

Start Date: 7/20/2015 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 7/24/2015 Req'd Qty: 1.00 *1* Customer:

Reference:

Approvals: Process Plan:  Date: 7-20 Tooling: Date: Run Start *NR1*
QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

IIN D412-760	G
--------------	---

100

Document Control

0.00

DAB
27
9-89

MCS JUL 21 2015

100

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D412-760-113
CHG002

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

DAB
27
JUL 21 2015

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.00

Quality Control

Qty -111	Qty -113	Part Number	Description
X		D412-760-111	AFT CABIN WALL AND PYLON PROTECTOR KIT
	X	D412-760-113	AFT CABIN WALL AND PYLON PROTECTOR KIT
1	1	D3933-1	LH AFT CABIN WALL PROTECTOR
1	1	D3933-2	RH AFT CABIN WALL PROTECTOR
1		D3935-1	LH PYLON PROTECTOR
1		D3935-2	RH PYLON PROTECTOR
	1	D3935-3	LH PYLON PROTECTOR
	1	D3935-4	RH PYLON PROTECTOR
14	14	D3942-1	ANGLE
10	10	D3942-3	GLIP
4	4	MS27039-4-10	SCREW
6	6	MS27039-4-14	SCREW
6	6	MS27039-5-08	SCREW
8	8	MS27039-5-12	SCREW

Qty -211	Qty -213	Qty -215	Qty -217	Part Number	Description
X				D412-760-211	BAGGAGE COMPARTMENT PROTECTOR KIT
	X			D412-760-213	BAGGAGE COMPARTMENT CEILING PROTECTOR KIT
		X		D412-760-215	CARGO FLOOR PROTECTOR KIT
			X	D412-760-217	LIGHTWEIGHT BAGGAGE COMPARTMENT PROTECTOR KIT
36	7	8		D3628-1	CUPPED WASHER
			43	D3628-5	CUPPED WASHER
1				D3876-1	RH FORWARD WALL PROTECTOR
1				D3876-3	FORWARD WALL PROTECTOR
1				D3876-5	LH WALL PROTECTOR
1				D3876-7	AFT WALL PROTECTOR
1				D3876-9	RH AFT WALL PROTECTOR
1		1		D3876-11	FLOOR PROTECTOR
1				D3876-13	DOOR PROTECTOR
1		1		D3952-1	PLACARD
			1	D3952-3	PLACARD
	1			D4438-1	CEILING PROTECTOR
			1	D4640-1	RH FWD WALL PROTECTOR
			1	D4640-3	FORWARD WALL PROTECTOR
			1	D4640-5	LH WALL PROTECTOR
			1	D4640-7	AFT WALL PROTECTOR
			1	D4640-9	RH AFT WALL PROTECTOR
			1	D4640-11	FLOOR PROTECTOR
			1	D4640-13	DOOR PROTECTOR
			1	D4640-15	CEILING PROTECTOR
36		8	36	80-004-2-6	INSERT
	7		7	80-004-2-8	INSERT
36		8	36	MS27039-1-04	SCREW
	7		7	MS27039-1-05	SCREW
	3		3	MS27039-1-10	SCREW
	6		6	NAS1149F0363P	WASHER (AN960-10)

• COPYRIGHT © 2007 BY DART AEROSPACE LTD •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: **G**
Date: 13.01.03